SHEET 1 OF 4



Substitute for form 1449A/PTO

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTORNEY'S DKT NO. 010830-117	APPLICATION NO. 09/840,243
APPLICANT Krzysztof MASTERNAK et	al
FILING DATE April 24, 2001	GROUP 1623

			(Carpanian dogentalias)				
	U.S. Patent D	ocument					
Examiner Initials	Number	Kind Code (if known)	Name of Patentee or Applicant of Cited Document	•	Date of Publication (MM-DD-YYYY)		
		া	TREICHTPATTEATTEDOCUMENTS IN				
	Foreign Patent						
Examiner initials	Number	Kind Code (if known)	Country	Date of Publication (MM-DD-YYYY)	Trans! Yes	T	
					1,00	no	
		Non P	A WEINIAMO OF STAND ANS EDUBLISH RELLA		4.		
Examiner Initials	I many transfer to the property of the propert						
			Tandem Mass Spectra of Modified Peptide 1426-36, vol. 67, American Chemical Soc		in the P	roteln	
			Gene Transcription Directed by the Carbox mbined Immune Deficiency", Immunity, pp			ephia,	
		NA polymerase"	t-expression system based on recombinant , Rroc. Natl. Acad. Sci., 1986, pp. 8122-2				
	BAEUERIE et al., "N PA.	F-WB: Ten Years	After - Meeting Review", Cell, 1996, pp.	13-20, vol. 87, Cell Press, P	hiladelpl	hia,	
			ession of cDNA for human poly(ADP-ribose at Academy of Sciences, Washington, D.C		cad. Sci	i.,	
		•	Claning of an MHC Class II Transactivator ( Idronme)", Cell, 1993, pp. 135-46, vol. 75	•			
			MHC Genes Requires Both the X Box Region 43, vol. 2, Cell Press, Philadelphia, PA.	on and the Class II Transactiv	vator		
			wo complementation groups account for m tics: 1994, pp. 953-58, vol. 3, Oxford Uni		class li		
			of GABPa/S An STS Domain - Ankyrin Rep . 279, American Association for the Advar			c.	
·	BENICHOU et al., "C distinct genetic defe National Academy o	cts defined by o	negative pavent and mutent B-cell lines rep complementation analysis, Proc. Natl. Aca shington, D.O.	resent at least three, and product. Sci., 1991, pp. 4285-88,	obably fo vol. 88,	our,	
·			epeats in Functionally Diverse Proteins: Mo Function, and Genetics, 1993, pp. 363-74			York,	
•		ng Protein RFX"	ntion of Major Histocompatibility Complex ( , <i>Molecular and Cellular Biology</i> , 1994, pp.			ciety	
•	Concerns Only One I	Member of a Fa	Defect Observed in Major Histocompatibilimily of Complexes Binding to the X Boxes, vol. 12(9), American Society for Microbia	of Class II Promoters*, Mole			



Substitute for form 1449A/PTO

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTORNEY'S DKT NO. APPLICATION NO. 010830-117 09/840,243

APPLICANT
Krzysztof MASTERNAK et al.

FILING DATE GROUP
April 24, 2001 1623

	2000
	KRETSOVALI et al., "Involvement of CREB Binding Protein in Expression of Major Histocompatibility Complex Class II Genes via Interaction with the Class II Transactivator", Molecular and Cellular Biology, 1998, pp. 6777-83, vol. 18(11), American Society for Microbiology, Washington, D.C.
1	WATANABE et al., "cDNA Cloning of Transcription Factor E4TF1 Subunits with Ets and Notch Motifs", Molecular and Cellular Biology, 1993, pp 1385-91, vol. 13(3), American Society for Microbiology, Washington, D.C.
	VILLARD et al., "Mutation of RFXAP, A regulator of MHC Class II Genes, In Primary MHC Class II Deficiency", The New England Journal of Medicine, 1997, pp. 748-53, vol. 337, Massachusetts Medical Society, Boston, MA.
	BONTRON et al., "Two novel mutations in the MHC class II transactivator CIITA in a second patient from MHC class II deficiency complementation group A", Human Genet., 1997, pp. 541-46, vol. 99, Springer-Verlag, London, England.
	VAN DEN ELSEN et al., "Regulation of MHC class I and II gene transcription: differences and similarities", Immunogenetics, 1998, pp. 208-21, vol. 48, Springer-Verlag, London, England.
	TSANG et al., "Mutational Analysis of the DRA Promoter: cis-Acting Sequences and trans-Acting Factors", Molecular and Cellular Biology, 1990, pp. 711-19, vol. 10(2), American Society for Microbiology, Washington, D.C.
	STEIMLE et al., "A novel-DNA-binding regulatory factor is mutated in primary MHC class il deficiency (bare lymphocyte syndrome)", Genes & Development, 1995, pp. 1021-32, vol. 9, Cold Spring Harbor Laboratory Press, Woodbury, New York.
	ACCOLLA, "Human B Cell Variants immunoselected Against A Single la Antigen Subset Have Lost Expression of Several la Antigen Subsets", J. Exp. Med., 1983, pp. 1053-58, vol. 157, The Rockefeller University Press, New York, New York.
	BALDWIN, "The NF-kB and lkB Proteins: New Discoveries and Insights", Annu. Rev. Immunol., 1996, pp. 649-81, vol. 14, Annual Reviews, Palo Alto, CA
	BASTA et al., "Identification of An Interfeton-Y Response Region 5' of the Human Histocompatibility Leukocyte Antigen DRα Chain Gene Which is Active in Human Glioblastoma Multiforme Lines", The Journal of Immunology, 1987, pp. 1275-80, vol. 138, American Association of Immunologists, Bethesda, Maryland.
	BONTRON et al., "Efficient Repression of Endogenous Major Histocompatibility Complex Class II Expression through Dominant Negative CIITA Mutants isolated by a Functional Selection Strategy", Molecular and Cellular Biology, 1997, pp. 4249-58, vol. 17(8), American Society for Microbiology, Washington, D.C.
	DURAND et al., "RFXAP, a novel subunit of the RFX DNA binding complex is mutated in MHC class II deficiency", The EMBO Journal, 1997, pp. 1045-55, vol. 16(5); Oxford University Press, Oxford, UK.
	EMERY et al., "RFX proteins, a novel family of DNA binding proteins concerved in the eukaryotic kingdom", Nucleic Acids Research, 1996, pp. 803-07 vol. 24/51 Oxford University Press, Oxford, UK.
	KLEIN et al., "Bone Marrow Transplantation in Major Histocompatibility Complex Class II Deficiency: A Single-Center Study of 19 Patients", Blood, 1995, pp. 589-57, Vol. 85(2), The American Society of Hematology, Washington, D.C.
	CLAUSEN et al., "Residual MHC Class II Expression on Mature Dendritic Cells and Activated B Cells in RFX5-Deficient Mice", Immunity, 1998, pp. 143-55, vol. 8, Cell Press, Philadelphia, PA.
	CHANG et al., "Mice Lacking the MHC Class II Transactivator (CIITA) Show Tissue-Specific Impairment of MHC Class II Expression", Immunity, 1996, pp. 167-78, vol. 4, Cell Press, Philadelphia, PA.
	HASEGAWA et al., "Two B cell factors bind the HLA-DRA X box region and recognize different subsets of HLA class II promoters", Nucleic Acids Research, 1991, pp. 6269-76, vol. 19(22), Oxford University Press, Oxford, UK.
	IWABUCHI, et al., "Two cellular proteins that bind to wold-type but not mutant p53", Proc. Natl. Acad. Sci., 1994, pp. 6098-6102, vol. 91, National Academy of Sciences, Washington, D.C.
	REITH et al., "Function of major histocompatibility complex class II promoters requires cooperative binding between factors RFX and NF-Y", <i>Proc. Natl. Acad. Sci.</i> , 1994, pp. 554-58, vol. 91, National Academy of Sciences, Washington, D.C.
	REITH et al. "MHC class Il regulatory factor RFX has a novel DNA-binding domain and a functionally independent dimerization domain", Genes & Development, 1990, pp. 1528-40, vol. 4, Cold Spring Harbor Laboratory Press, Woodbury, New York.
	DE PRÉVAL et al., "A trans-acting class II regulatory gene unlinked to the MHC controls expression of HLA class II genes", Nature, 1985, pp. 291-293, vol. 318, Nature Publishing Group, England.
	WILM et al., "Ferntomole sequencing of proteins from polyacrylamide gels by nano-electrospray mass spectrometry", Nature, 1996, pp. 466-69, vol. 379, Nature Publishing Group, England.
	MASTERNAK et al., "A gene encoding a novel RFK-associated transactivator is mutated in the majority of MHC class II deficiency patients", Nature Genetics, 1998, pp. 273-77, vol. 20, Nature Publishing Group, England.

1



Substitute for form 1449A/PTO

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

SHEET 3 OF 4
APPLICATION NO. ATTORNEY'S DKT NO. 09/840,243 010830-117 APPLICANT Krzysztof MASTERNAK et al. FILING DATE GROUP 1623 April 24, 2001

MCDONALD et al., "Ankyrin for clues about the function of p16lNK4a", Nature Structural Biology, 1998, pp. 85-88, vol. 5(2), Nature Publishing Group, England.
MERIKA et al., "Recruitment of CBP/p300 by the IFNβ Enhanceosome is Required for Synergistic Activation of Transcription", Molecular Cell, 1998, pp. 277-87, vol. 1, Cell Press, Phildelphia, PA.
MAHANTA et al., "Transactivation by CIITA, the type II bare lymphocyte syndrome-associated factor, requires participation of multiple regions of the TATA box binding protein", Proc. Natl. Acad. Sci., 1997, pp. 6324-29, vol. 94 National Academy of Sciences, Washington, D.C.
MACH et al., "Regulation of MHC Class II Genes: Lessons from a Disease", Annu. Rev. immunol., 1996, pp. 301-31, vol. 14, Annual Reviews, Inc., Palo Alto CA.
BENNETT, "Ankyrins", The Journal of Biological Chemistry, 1992, pp. 8703-06, vol. 267(13), John Wiley & Sons, No. York, New York.
MORENO et al., "Regulatory Factor X, a Bare Lumphocyte Syndrom Transcription Factor, Is a Multimeric Phosphoprotein Complex", <i>The Journal of Immunology</i> , 1997, pp. 5841-48, vol. 158, American Association of Immunologists, Bethesda, Maryland.
SEIDL et al., "Genetic Complexity of Regulatory Mutants Defective for HLA Class II Gene Expression", The Journal of Immunology, 1992, pp. 1576-84, vol. 148 American Association of Immunologists, Bethesda, Maryland.
LOUIS-PLENCE, "Formation of a Regulatory Factor X/X2 Box-Binding Protein/Nuclear Fator-Y Multiprotein Complex on the Conserved Regulatory Regions of HLA Class II Genes", The Journal of Immunology, 1997, pp. 3899-3909, vol. 159, American Association of Immunologists, Bethesda, Maryland.
CASPER et al., "Successful treatment with anythrelated-donor bone marrow transplant in an HLA-deficient patient will severe combined immune deficiency ("bare lymphocyte syndrone"), J. Pediatr., 1990, pp. 262-5, vol. 116, C.V. Mos Co., St. Louis, Missouri.
TOURAINE et al., "Combined immunodeficiency disease associated with absence of cell-surface HLA-A and -B antigens", The Journal of Pediatrics, 1978, pp. 47-51, vol. 93(1), C.V. Mosby Co., St. Louis, Missouri.
THOMPSON et al., "Convergence of Ets- and Notch-Belated Structural Motifs in a Heteromeric DNA Binding Complex Science, 1991, pp. 762-68, vol. 253, American Association for the Advancement of Science, Washington, D.C.
STEIMLE et al., "Regulation of MHC Class II Expression by Interferon-Y Mediated by the Transactivator Gene CIITA", Science, 1994, pp. 106-09, vol. 265, American Association for the Advancement of Science, Washington, D.C.
ROEDER, "Role of General and Gene-specific Colectors in the Regulation of Eukaryotic Transcription", Cold Spring Harbor Symposia on Quantitative Biology, 1998, pp. 201-18, vol. LXIII, Cold Spring Harbor Laboratory Press, Woodbury, New York.
OCHS et al., "Molecular Basis of Major Histocompeticalility Complex Class II Deficiency", <i>Primary Immunodeficiency Diseases - A Molecular and Genetic Approach</i> , 1999, pp. 167-80, Oxford University Press, Inc., New York, New York
REITH et al., "Cooperative Binding between Factors RFX and X2bp to the X and X2 Boxes of MHC Class II Promoters The Journal of Biological Chemistry, 1994, pp. 20020-25, vol. 269(31), John Wiley & Sons, New York, New York.
OTTEN et al., "Quantitative control of MHC class II expression by the transactivator CliTA" Eur. J. Immunol., 1998, p. 473-78, vol. 28, Wiley-VCH Verlag Gmbh, Weinheim, Germany.
NAGARAJAN et al., "RFX-B is The Gene Responsible for the Most Common Cause of the Bare Lymphocyte Syndrome an MHC Class II Immunodeficiency", Immunity, 1999, pp. 153-62, vol. 10, Cell Press, Philadelphia, PA.
MORENO et al., "CREB Regulates MHC Class II Expression in a CIITA-Dependent Manner", Immunity, 1999, pp. 143-51, vol. 10, Cell Press, Philadelphia, PA.
KLEIN et al., "Major histocompatibility complex class II deficiency: Clinical manifestations, immunologic features, and outcome", J. Pediatr., 1993, pp. 921-8, vol. 123, Mosby-Year Book, Inc., St. Louis, Missouri.
LISOWSKA-GROSPIERRE et al., "A Defect in the Regulation of Major Histocompatibility Complex Class II Gene Expression in Human HLA-DR Negative Lymphocytes from Patients with Combined Immunodeficiency Syndrome", J. Clin. Invest., 1985, pp. 381-85, vol. 76, The Journal of Clinical Investigation, Ann Arbor, Michigan.
WU et al., "Transcription: Common cofactors and cooperative recruitment", Current Biology, 1999, pp.R606-609, vo. 9, Cell Press, Philadelphia, PA.
SATOLA et al., "Congenital Immunadeficiency with Regulatory Defect in MHC Class II Gene Expression Lacks a Specific HLA-DR Promoter Binding Protein, RF-X", Cell, 1988, pp. 897-906, vol. 53, Cell Press, Philadelphia, PA.
BOSS, "Regulation of transcription of MHC class II genes", Current Opinion in Immunology, 1997, pp. 107-13, vol. 9 Cell Press, Philadelphia, PA.
CAREY, "The Enhanceosome and Transcriptional Synergy", Cell, 1998, pp. 5-8, vol. 92, Cell Press, Philadelphia, PA.

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. SEND TO: Assistant Commissioner for Patents, Washington, D.C. 20231.



Substitute for form 1449A/PTO

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

	VIICCI <u></u> _ VI
ATTORNEY'S DKT NO.	APPLICATION NO.
010830-117	09/840,243
APPLICANT	
Krzysztof MASTERNAK	et al.
FILING DATE	GROUP
April 24, 2001	1623

Examiner Signature	Date Considered						
,	LATCHMAN, "Transcription-Factor Mutations and Disease", The New England Journal of Medicine, 1996, pp. 28-33, vol. 334(1), Massachusetts Medical Society, Boston, MA.						
,	GRISCELLI et al., "Combined Immunodeficiency with Defective Expression in MHC Class II Genes", Immunodeficiency Reviews, 1989, pp. 141-54, vol. 2, chapter 8, England.						
,	SHAPIRO et al., "Laboratory Methods: A High-Efficiency HeLa Cell Nuclear Transcription Extract, DNA, 1988, pp. 47-55, vol. 7, Mary Ann Lieber, Inc., Larchmont, New York.  ENG et al., "An approach to correlate Pandem Mass Spectral Data of peptides with amino acid sequences in a protein database" Journal of American Society of Mass Spectrom., 1994, pp. 976-89, vol. 5, Elsivier, England.  HUME et al., "Bare Lymphocyte Syndrome: Altered HLA Class II Expression in B Cell Lines Derived from Two Patients", Human Immunology, 1989, pp. 1-11, vol. 25, Elsivier, England.						
							MUHLETHALER-MOTTET et al., "Expression of MHC class II molecules in different cellular and functional compartments is controlled by differential usage of multiple promoters of the transactivator ClITA", The EMBO Journal, 1997, pp. 2851-60, vol. 16(10), Oxford University-Press, Oxford UK.
							VAN HUIJSDUIJNEN et al., "Co-evolution from yeast to mouse: cDNA cloning of the two NF-Y (CP-1/CBF) subunits", The EMBO Journal, 1990, pp. 3119-27, vol. 9(10), Oxford University Press, Oxford, UK.
	THANOS et al., "Virus Induction of Human IFNB Gene-Expression Requires the Assembly of an Enhanceosome", Cell, 1995, pp. 1091-1100, vol. 83, Cell Press, Philadelphia, RA.						
	WRIGHT et al., "CIITA stimulation of transcript in factor binding to major histocompatibility complex class if and associated promoters in vivo", <i>Proc. Math. Acad. Sci.</i> , 1898, pp. 6267-72, vol. 95, National Academy of Sciences, Washington, D.C.						
	LAMARCO et al., "Identification of Ets- and Netch-Related Subunits in GA Binding Protein", Science, 1991, pp. 789-92 vol. 253, American Association for the Advancement of Science, Washington, D.C.						

16